Contents of Vol. 24

Special Issue: Coal Characterisation for Conversion Processes II — Proceedings of the Second International Rolduc Symposium on Coal Science, May 21–25, 1989

Preface vi

Pyrolysis

Relationship between results from conventional proximate analyses and pyrolysis yields under rapid-heating conditions
J.R. Gibbins, K. Khogali and R. Kandiyoti (London, U.K.) 3

Experiments on pyrolysis behaviour of different coals
W. Wanzl and D. Bittner (Essen, F.R.G.) 11

Influence of cross-linking on tar formation during pyrolysis of low-rank coals
J.V. Ibarra, I. Cervero, M. García and R. Moliner (Zaragoza, Spain) 19

Contribution to the study of copyrolysis. Correlation of additives analytical data with optical texture of resultant cokes
J.V. Weber, M. Schneider, M. Darif, M. Swistek (Metz, France), E. Yax and R. Bertau (Forbach, France) 27

Identification of coal pyrolysis products by scanning electron microscopy
J.M. Vleeskens, B.K. Kwiecinska (Krakow, Poland), G. Hamburg and C.M. Roos (Petten, The Netherlands) 35

Separation schemes for coal tar analysis — A comparison of methods
A.A. Herod and B.J. Stokes (Cheltenham, U.K.) 45

Coke Manufacture

Contribution of transmission electron microscopy to the study of the coal carbonization processes
J.-N. Rouzaud (Orleans, France) 55

Effects of the conditioning of coal charges on the tensile strength and Young's modulus as well as on the structure of semi-coke and coke
W. Klose and U. Kalthoff (Kassel, F.R.G.) 71

Plastic range of coking coals — Results of studies using the plastofrost technique
A.J. Royce, P.L. Silveston (Waterloo, Ont., Canada), P.J. Readyhough (Hamilton, Ont., Canada) and J.T. Price (Ottawa, Ont., Canada) 79

Characterization of coals dangerous during carbonization
R. Alvarez, J.J. Pis and J.J. Lorenzana (Oviedo, Spain) 91

Coke reactivity prediction by texture analysis
D. Vogt (Forbach, France) and M. Depoux (Fos/Mer, France) 99

Blast furnace coal injection studies using a single tuyere raceway investigation rig
C.J. Atkinson and R.R. Willmers (Cleveland, U.K.) 107

Liquefaction

Influence of organic coal structure on liquefaction behaviour: An update with emphasis on low severity conditions
C.E. Snape (Glasgow, U.K.), F.J. Derbyshire (Leigh, U.K.), H.P. Stephens, R.J. Kottenstette (Albuquerque, NM, U.S.A.) and N.W. Smith (Leeds, U.K.) 119

Relationship between liquefaction yields and characteristics of different rank coals
I. Marco, M.J. Chomon, J.A. Legarreta and P.L. Arias (Bilbao, Spain) 127

Bituminous coal hydroliquefaction activation energy: Determination and correlation with structural parameters from proton and carbon NMR data
S.-C. Shin, R.M. Baldwin and R.L. Miller (Golden, CO, U.S.A.) 135

NMR characterisation of extracts produced by dissolution of U.K. coals in hydrogenated anthracene oil and in supercritical toluene
G. Harrison and P. Cahill (Stoke-on-Trent, U.K.) 143

Analysis of coal hydroliquefaction products (semi-aromatic compounds) on a picric acid column by charge transfer chromatography
M. Diack, R. Gruber, D. Cagniant (Metz, France), H. Charcosset and R. Bacaud (Villeurbanne, France) 151

Evidence for hydrogen donor–acceptor behaviour of 9,10-dihydroanthracene in thermal reactions with coals and pitches
J. Bermejo, J.S. Canga, M.D. Guillen, O.M. Gayol and C.G. Blanco (Oviedo, Spain) 157

Determination of coal reactivity in catalyzed hydroliquefaction
R. Bacaud, H. Charcosset and M. Jamond (Villeurbanne, France) 163

Evaluation of coal conversion by swelling measurement
A.M. Mastral, M.T. Izquierdo, B. Rubio, L. Membrado and J.I. Royo (Zaragoza, Spain) 171

Effects of organic sulfur content on thermolysis and hydrogenolysis of lignites
A.B. Garcia and H.H. Schobert (University Park, PA, U.S.A.) 179

Desulphurisation of a Spanish lignite via low temperature supercritical gas extraction
R. Garcia, S.R. Moinelo (Oviedo, Spain), C.E. Snape (Glasgow, U.K.) and P. Bernad (Oviedo, Spain) 187

Quantification of organic sulphur containing functional groups for coal conversion processes
B.B. Majchrowicz, J. Yperman, H.J. Martens, J.M. Gelan (Diepenbeek, Belgium), S. Wallace, C.J. Jones, M. Baxby, N. Taylor and K.D. Bartle (Leeds, U.K.) 195

Controlling the ash level in coal liquefaction extracts
M. Cloke and J.P. Wright (Nottingham, U.K.) 203

Influence of demineralization and depolymerization on coal extractability
S.R. Moinelo, A.B. Garcia, R. Menendez and J. Bermejo (Oviedo, Spain) 211

Characterization parameters for oil formation from brown coal hydrogenation
M. König, M. Gutmann, D. Radeck (Berlin, DDR), M.C. Mittelmeijer-Hazeleger and P.J.J.

Tromp (Amsterdam, The Netherlands) 217

Coal conversion in co-processing with heavy petroleum residues
S. Wallace, K.D. Bartle (Leeds, U.K.), W. Kemp, W. Steedman, T. Flynn (Edinburgh, U.K.), M.P. Burke, C.J. Jones and N. Taylor (Leeds, U.K.) 225

Agglomeration and coprocessing of Alberta subbituminous coal
R.J. Parker, D.T. Fong and G.L. Heck (Devon, Alberta, Canada) 231

Development of a flowing-solvent liquefaction apparatus
J.R. Gibbins and R. Kandiyoti (London, U.K.) 237

Gasification

Diversification of feedstocks and products: Recent trends in the development of solid fuel gasification using the Texaco and the MTW process
J. Keller (Dortmund, F.R.G.) 247

High temperature gasification reactivity of coal under severely product inhibited conditions
M. Weeda, P.J.J. Tromp and J.A. Moulijn (Amsterdam, The Netherlands) 269

Characterization of coal char reactivity by transient kinetics technique
T. Nozaki (Tokyo, Japan), T. Adschiri (Sendai, Japan) and T. Furusawa (Tokyo, Japan) 277

Factors influencing the ASA-determination of low temperature chars: Particle size, mineral matter and rank
H.-J. Mühlen (Essen, F.R.G.) 285

Finely dispersed calcium in hard and brown coals: Its influence on pressure and burn-off dependencies of steam and carbon dioxide gasification
H.-J. Mühlen (Essen, F.R.G.) 291

Mineral matter effects on the reactivity of chars during gasification
J. Adánez and L.F. de Diego (Zaragoza, Spain) 298

Modification of textural properties of Spanish coal-derived chars by activation with carbon dioxide
J.J. Pis, A.B. Fuertes, A.J. Pérez, J.J. Lorenzana (Oviedo, Spain), S. Mendioroz (Madrid, Spain) and J.A. Pajares (Oviedo, Spain) 305

The significance of coal properties for acetylene formation in a hydrogen plasma
D. Bittner and W. Wanzl (Essen, F.R.G.) 311

Combustion

Aspects of coal combustion in atmospheric and pressurised fluidised beds
B. Bonn and E. Richter (Essen, F.R.G.) 319

The influence of transport phenomena on the fluidized bed combustion of a single carbon particle
W. Prins and W.P.M. van Swaaij (Enschede, The Netherlands) 355

The effect of salt minerals on deposit formation during fluidised bed combustion of coal
N.J. Hodges and M.K. Marsh (Cheltenham, U.K.) 367

A study of aluminium, phosphorus and boron in coals and combustion residues by solid-state nuclear magnetic resonance spectroscopy
P. Burchill (Cheltenham, U.K.), O.W. Howarth (Coventry, U.K.) and B.J. Sword (Cheltenham, U.K.) 375

Slagging indices for UK coals and their relationship with mineral matter
F. Wigley, J. Williamson (London, U.K.) and A.R. JOnes (Southampton, U.K.) 383

The characterization of 'fly-chars' from coal combustion; the effect of temperature and rank on reactivity, texture and composition
F. Kapteijn, D. Bruinsma, J. Mul and J.A. Moulijn (Amsterdam, The Netherlands) 391

Prediction of NOx and SOx emissions in FBC of coal using easy to determine coal and sorbent characteristics
W. Lin, P.J.M. Valkenburg, C.M. van den Bleek (Delft, The Netherlands) 399

Correlation between Raman spectroscopic data and the temperature-programmed oxidation reactivity of coals and carbons
J. van Doorn, M.A. Vuurman, P.J.J. Tromp, D.J. Stufkens and J.A. Moulijn (Amsterdam, The Netherlands) 407

Beneficiation

Asphaltenes as basic structures of coals and their use for the evaluation of coal properties
W. Hodek, M. Kraemer and H. Jüntgen (Essen, F.R.G.) 417

Direct determination and quantification of organic sulfur forms by X-ray photoelectron spectroscopy (XPS) and sulfur K-edge absorption spectroscopy
S.R. Kelemen, G.N. George and M.L. Gorbaty (Annandale, NJ, U.S.A.) 425

Solvent extraction of elemental sulfur form coal and a determination of its source using stable sulfur isotopes
K.C. Hackley (Champaign, IL, U.S.A), D.H. Buchanan, K. Coombs (Charleston, IL, U.S.A.), C. Chaven and C.W. Kruse (Champaign, IL, U.S.A.) 431

The effect of oxydesulphurisation on the properties of the cleaned coal
S.S. Akhtar and K.R. Cliffe (Sheffield, U.K.) 437

Assessment of coal cleanability for various beneficiation processes by SEM-based automated image analysis
W.E. Straszheim and R. Markuszewski (Ames, IA, U.S.A.) 445

A new approach to the investigation of coal
I.A. Korobetskii, N.V. Balabanova and A.N. Zaostrovskii (Kemerovo, U.S.S.R.) 453

Electrokinetics of oxidized coal
M. Sarikaya and G. Özbayoğlu (Ankara, Turkey) 459

Author Index of Vol. 24 467